

PUBLICATIONS

General anaesthesia

Reber, A; Seeberger, MD; Kaufmann, M (1992): *Tension pneumothorax following interpleural catheterization during positive-pressure ventilation*. In: J Cardiothor Vasc An, 6 (3),338-9.
DOI: 10.1016/1053-0770(92)90154-y

Reber, A; Schumacher, P; Urwyler, A (1993): *Effects of three different types of management on the elimination kinetics of volatile anaesthetics. Implications for malignant hyperthermia treatment*. In: Anaesthesia, 48 (10),862-5.
DOI: 10.1111/j.1365-2044.1993.tb07414.x

Reber, A; Urwyler, A (1994): *Evaluation of the early respiratory management of malignant hyperthermia*. In: Minerva Anesthesiologica, 60,207-209.

Rothen, HU; Sporre, B; Engberg, G; Wegenius, G; **Reber, A;** Hedenstierna, G (1995): *Prevention of atelectasis during general anaesthesia*. In: Lancet, 345 (8962),1387-91.
DOI: 10.1016/s0140-6736(95)92595-3

Hedenstierna, G; **Reber, A;** Hedin, EM (1996): *[Lung collapse. A common phenomenon during anaesthesia]*. In: Läkartidningen, 93 (24),2323-5.

Reber, A; Engberg, G; Sporre, B; Kviele, L; Rothen, HU; Wegenius, G; Nylund, U; Hedenstierna, G (1996): *Volumetric analysis of aeration in the lungs during general anaesthesia*. In: Br J Anaesth, 76 (6),760-6.
DOI: 10.1093/bja/76.6.760

Hedenstierna, G; **Reber, A** (1996): *Review: Gas exchange during anaesthesia*. In: Seminars in Anesthesia Perioperative Medicine and Pain, 15,312-320. ISSN 1547-9951.

Hedenstierna, G; **Reber, A** (1996): *Manipulating pulmonary blood flow during one-lung anaesthesia*. In: Acta Anaesthesiol Scand, 40 (1),2-4.
DOI: 10.1111/j.1399-6576.1996.tb04379.x

Reber, A; Engberg, G; Wegenius, G; Hedenstierna, G (1996): *Lung aeration. The effect of pre-oxygenation and hyperoxygenation during total intravenous anaesthesia*. In: Anaesthesia, 51 (8),733-7.
DOI: 10.1111/j.1365-2044.1996.tb07885.x

Fredén, F; Berglund, JE; **Reber, A;** Hoegman, M; Hedenstierna, G (1996): *Inhalation of a nitric oxide synthase inhibitor to a hypoxic or collapsed lung lobe in anaesthetized pigs: effects on pulmonary blood flow distribution*. In: Br J Anaesth, 77 (3),413-8.
DOI: 10.1093/bja/77.3.413

Rothen, HU; Sporre, B; Engberg, G; Wegenius, G; **Reber, A**; Hedenstierna, G (1996): *Atelectasis and pulmonary shunting during induction of general anaesthesia--can they be avoided?*. In: Acta Anaesthesiol Scand, 40 (5). DOI: 10.1111/j.1399-6576.1996.tb04483.x

Reber, A; Nylund, U; Hedenstierna, G (1998): *Position and shape of the diaphragm: implications for atelectasis formation*. In: Anaesthesia, 53 (11),1054-61. DOI: 10.1046/j.1365-2044.1998.00569.x

Reber, A; Bein, T; Hoegman, M; Khan, ZP; Nilsson, S; Hedenstierna, G (1998): *Lung aeration and pulmonary gas exchange during lumbar epidural anaesthesia and in the lithotomy position in elderly patients*. In: Anaesthesia, 53 (9),854-61. DOI: 10.1046/j.1365-2044.1998.00491.x

Reber, A; Huber, PR; Ummenhofer, W; Guertler, CM; Zurschmiede, C; Drewe, J; Schneider, M (1998): *General anaesthesia for surgery can influence circulating melatonin during daylight hours*. In: Acta Anaesthesiol Scand, 42 (9),1050-6. DOI: 10.1111/j.1399-6576.1998.tb05375.x

Hoegman, M; **Reber, A**; Hua, XY; Dueck, R; Yaksh, TL (1998): *Effects of endotracheal intubation on airway neuropeptide content, arterial oxygenation and lung volumes in anaesthetized rats*. In: Eur J Clin Invest, 28 (3),249-55. DOI: 10.1046/j.1365-2362.1998.00275.x

Reber, A; Scheidegger, D (1998): *An alternative technique for interpleural analgesia*. In: Anesthesiology, 88 (2),553-4. DOI: 10.1097/00000542-199802000-00048

Reber, A; Budmiger, B; Wenk, M; Haefeli, WE; Wolff, T; Bein, T; Skarvan, K (2000): *Inspired oxygen fraction after cardiopulmonary bypass: effects on pulmonary function with regard to endothelin-1 concentrations and venous admixture*. In: Br J Anaesth, 84 (5),565-70. DOI: 10.1093/bja/84.5.565

Reber, A; Odermatt, TW; Ruettimann, U; Schneider, M (2001): *[Atkinson's retrobulbar anesthesia. A quality control study]*. In: Anaesthesist, 50 (9),671-5. DOI: 10.1007/s001010100197

Reber, A; Scheidegger, D; Babst, R (2002, updated 2011): *Praeoperative Risikoabschaetzung in der Viszeralchirurgie*. In: Praxis der Viszeralchirurgie: Gastroenterologische Chirurgie (Eds. Siewert, Rothmund, Schumpelick), 151-6; Springer Verlag, Berlin, Heidelberg, New York. DOI: 10.1007/978-3-642-14223-9

Reber, A; Ursprung, T (2003): *Kataraktoperation bei einem Patienten mit schwerem obstruktivem Schlafapnoesyndrom. [Cataract surgery in a patient with severe obstructive sleep apnea syndrome].* In: Anaesthesist, 52 (11),1027-1030.

DOI: 10.1007/s00101-003-0555-2

Dettmeyer, R; **Reber, A** (2003): *Exitus letalis - Anästhesiologische und medizinrechtliche Aspekte [Death on the operating table. Anesthesiologic and medicolegal aspects].* In: Anaesthesist, 52 (12),1179-88.

DOI: 10.1007/s00101-003-0612-x

von Ungern Sternberg, BS; Regli, A; Schneider, MC; Kunz, F; **Reber, A** (2004): *Effect of obesity and site of surgery on perioperative lung volumes.* In: Br J Anaesth, 92 (2),202-7.

DOI: 10.1093/bja/aeh046

Reber, A (2005): *[Airways and respiratory function in obese patients. Anaesthetic and intensive care aspects and recommendations].* In: Anaesthesist, 54 (7),715-28.

DOI: 10.1007/s00101-005-0872-8

von Ungern Sternberg, BS; Regli, A; **Reber, A**; Schneider, MC (2005): *Effect of obesity and thoracic epidural analgesia on perioperative spirometry.* In: Br J Anaesth, 94 (1),121-7. DOI: 10.1093/bja/aeh295

von Ungern Sternberg, BS; Regli, A; **Reber, A**; Schneider, MC (2005): *Comparison of perioperative spirometric data following spinal or general anaesthesia in normal-weight and overweight gynaecological patients.* In: Acta Anaesthesiol Scand, 49 (7),940-8.

DOI: 10.1111/j.1399-6576.2005.00754.x

Reber, A (2006): *[Airway management in the spontaneously breathing child].* In: Anaesthesist, 55 (7),805-7. DOI: 10.1007/s00101-006-1031-6

Regli, A; von Ungern-Sternberg, BS; Strobel, WM; Pargger, H; Welge-Luessen, A; **Reber, A** (2006): *The impact of postoperative nasal packing on sleep-disordered breathing and nocturnal oxygen saturation in patients with obstructive sleep apnea syndrome.* In: Anesth Analg, 102 (2),615-20.

DOI: 10.1213/01.ane.0000184814.57285.5b

Regli, A; von Ungern-Sternberg, BS; **Reber, A**; Schneider, MC (2006): *Impact of spinal anaesthesia on peri-operative lung volumes in obese and morbidly obese female patients.* In: Anaesthesia, 61 (3),215-21. DOI: 10.1111/j.1365-2044.2005.04441.x

Franzen, D; Ursprung, T; Wüthrich, B; **Reber, A** (2006): *Idiopathic non- histaminergic angio-oedema after routine extubation successfully treated with fresh frozen plasma.* In:

Anaesthesia, 61 (7),698-701.

DOI: 10.1111/j.1365-2044.2006.04648.x

Rätsch, G; Niebergall, H; Hauenstein, L; **Reber, A** (2007): *[Spinal anaesthesia in day-case surgery. Optimisation of procedures]*. In: Anaesthesist, 56 (4),322-7.

DOI: 10.1007/s00101-007-1141-9

Reber, A; Hauenstein, L; Echternach, M (2007): *[Laryngopharyngeal morbidity following general anaesthesia. Anaesthesiological and laryngological aspects]*. In: Anaesthesist, 56 (2),177-89; quiz 190-1. DOI:

10.1007/s00101-007-1137-5

Reber, Adrian (2009): *[Airways and respiratory function: preoperative screening--anaesthetic and intensive care aspects and considerations]*. In: Ther Umsch, 66 (7),531-5. DOI:

10.1024/0040-5930.66.7.531

Echternach, M; Mencke, T; Richter, B; **Reber, A** (2011): *[Laryngeal alterations following endotracheal intubation and use of larynx masks]*. In: HNO, 59 (5),485-98. DOI:

10.1007/s00106-011-2293-0

Reber, A (2011): *[Airway management in sedated patients]*. In: Anaesthesist, 60 (3),259-64.

DOI: 10.1007/s00101-011-1866-3

Reber, A (2016): *Airway characteristics and safe management of spontaneously breathing patients: risks of sedation and analgesia and changes in wakefulness*. In: Int J Clin Med, (7),726-735.

DOI: 10.4236/ijcm.2016.711079

Herren, T; Achermann, E; Hegi, T; **Reber, A**; Stäubli, M (2017): *Carbon dioxide narcosis due to inappropriate oxygen delivery*. In: J Med Case Rep, Jul 28, 11(1), 204. DOI:

10.1186/s13256-017-1363-7

Reber, A; Valenti, L; Mueller, S (2019): *A Patient with Graves' disease scheduled for thyroidectomy with high risk for thyroid storm caused by severe medication nonadherence: anaesthetic and surgical considerations*. In: Case Rep Anesthesiol, Jul 22, 4781902.

DOI: 10.1155/2019/4781902

Obstetrics

Güth, U; Tsakiris, DA; **Reber, A**; Holzgreve, W; Hösli, I (2002): *[Management of patients with Type 2B von Willebrand's disease during delivery and puerperium]*. In: Z Geburtsh Neonatol, 206 (4),151-5.

DOI: 10.1055/s-2002-33670

Laubach, S; **Reber, A** (2004): *[Subarachnoid haemorrhage after spinal anaesthesia for caesarean section]*. In: Anaesthesist, 53 (8),723-6.

DOI: 10.1007/s00101-004-0716-y

von Ungern Sternberg, BS; Regli, A; Bucher, E; **Reber, A**; Schneider, MC (2004): *The effect of epidural analgesia in labour on maternal respiratory function*. In: Anaesthesia, 59 (4),350-3.

DOI:

10.1111/j.1365-2044.2004.03667.x

von Ungern Sternberg, BS; Regli, A; Bucher, E; **Reber, A**; Schneider, MC (2004): *Impact of spinal anaesthesia and obesity on maternal respiratory function during elective Caesarean section*. In: Anaesthesia, 59 (8),743-9.

DOI:

10.1111/j.1365-2044.2004.03832.x

Paediatric anaesthesia

Reber, A; Paganoni, R; Frei, FJ (1998): *Dynamic imaging of the pediatric upper airway during general anesthesia*. In: J Clin Monit Comput, 14 (3),199-202.

DOI: 10.1023/a:1007412511158

Reber, A; Wetzel, SG; Schnabel, K; Bongartz, G; Frei, FJ (1999): *Effect of combined mouth closure and chin lift on upper airway dimensions during routine magnetic resonance imaging in pediatric patients sedated with propofol*. In: Anesthesiology, 90 (6),1617-23.

DOI: 10.1097/00000542-199906000-00018

Reber, A; Paganoni, R; Frei, FJ (1999): *Airway obstruction due to arytenoid prolapse in a child*. In: Acta Anaesthesiol Scand, 43 (1),104-6.

DOI: 10.1034/j.1399-6576.1999.430122.x

Reber, A; Bobbia, SA; Frei, FJ (2000): *Thoraco-abdominal asynchrony in anaesthetized children affected by airway manoeuvres*. In: Pediatr Anesth, 10 (6),703.

DOI:

10.1111/j.1460-9592.2000.ab01ac.x

Hammer, J; **Reber, A**; Trachsel, D; Frei, FJ (2001): *Effect of jaw-thrust and continuous positive airway pressure on tidal breathing in deeply sedated infants*. In: J Pediatr, 138 (6),826-30.

DOI:

10.1067/mpd.2001.114478

Reber, A; Paganoni, R; Frei, FJ (2001): *Effect of common airway manoeuvres on upper airway dimensions and clinical signs in anaesthetized, spontaneously breathing children*. In: Br J Anaesth, 86 (2),217-22.

DOI: 10.1093/bja/86.2.217

Reber, A; Bobbia, SA; Hammer, J; Frei, FJ (2001): *Effect of airway opening manoeuvres on thoraco-abdominal asynchrony in anaesthetized children.* In: Eur Respir J, 17 (6),1239-43.
DOI: 10.1183/09031936.01.00047801

Meier, S; Geiduschek, J; Paganoni, R; Fuehrmeyer, F; **Reber, A** (2002): *The effect of chin lift, jaw thrust, and continuous positive airway pressure on the size of the glottic opening and on stridor score in anesthetized, spontaneously breathing children.* In: Anesth Analg, 94 (3),494-9.
DOI: 10.1097/00000539-200203000-00004

Reber, A; Geiduschek, JM; Bobbià, SA; Bruppacher, HR; Frei, FJ (2002): *Effect of continuous positive airway pressure on the measurement of thoracoabdominal asynchrony and minute ventilation in children anesthetized with sevoflurane and nitrous oxide.* In: Chest, 122 (2),473-8. DOI: 10.1378/chest.122.2.473

Bruppacher, H; **Reber, A;** Keller, JP; Geiduschek, J; Erb, TO; Frei, FJ (2003): *The effects of common airway maneuvers on airway pressure and flow in children undergoing adenoidectomies.* In: Anesth Analg, 97 (1),29-34, table of contents.
DOI: 10.1213/01.ane.0000069508.69518.97

Reber, A (2004): *The paediatric upper airway: anaesthetic aspects and conclusions.* In: Cur Opin Anaesthesiol, 17 (3),2217-221. DOI: 10.1097/00001503-200406000-00004

von Ungern Sternberg, BS; Erb, TO; **Reber, A;** Frei, FJ (2005): *Opening the upper airway--airway maneuvers in pediatric anesthesia.* In: Pediatr Anesth, 15 (3),181-9.
DOI: 10.1111/j.1460-9592.2004.01534.x

Intensive care and emergency medicine

Markus, E; **Reber, A** (1992): *[The course of rehabilitation in patients with locked-in syndrome].* In: Rehabilitation, 31 (2),85-90. PMID: 1386161

Reber, A; Castelli, I; Ummenhofer, W (1994): *Management bei zervikalen Wirbelsäulenverletzungen.* In: Notarzt, 10,109-111.

Reber, A; Castelli, I; Scheidegger, D (1995): *Three cases of blunt chest trauma caused by constant compression mechanisms.* In: J Trauma, 38 (1),35-7. DOI: 10.1097/00005373-199501000-00011

Bein, T; **Reber, A;** Stjernström, H; Metz, C; Taeger, K; Hedenstierna, G (1996): *[Ventilation-perfusion ratio in patients with acute respiratory insufficiency].* In: Anaesthesist, 45 (4),337-42.
DOI: 10.1007/s001010050269

Bein, T; **Reber, A**; Metz, C; Jauch, KW; Hedenstierna, G (1998): *Acute effects of continuous rotational therapy on ventilation-perfusion inequality in lung injury*. In: Intensive Care Med, 24 (2),132-7.

DOI: 10.1007/s001340050534

Bein, T; **Reber, A** (1999): *Atelektasen waehrend Anaesthesie und Intensivbehandlung - Entstehungsmechanismen und Therapiemöglichkeiten*. In: Anaesthesiologie & Intensivmedizin, 6,477-486.

Reber, A; Bein, T (2000): *[Therapy of acute lung failure--is there really something new?]*. In: Praxis (Bern 1994), 89 (16),660-2.

PMID: 10823020

Bein, T; **Reber, A**; Ploner, F; Taeger, K; Jauch, KW (2000): *Continuous axial rotation and pulmonary fluid balance in acute lung injury*. In: Clin Intensive Care, 11 (6),307-310.

DOI: 10.1016/j.injury.2011.08.034

Reber,A; Schwendener,C (2025): *Atemwege und respiratorische Funktion bei Adipositas: Intensivmedizinische Aspekte und Empfehlungen*. In: Anästhesiologie: Kompendium und Repetitorium Weiter und Fortbildung, 5.7.1.1., 1-15; ISBN 978-3-609-71361-8, ecomed-Storck Verlag.